

***Storm Drain Development Standards
Storm Drain Criteria
and
Drainage Design Manual***

ADOPTED SEPTEMBER 24, 1996

CITY OF HEMET

TABLE OF CONTENTS

<u>Section No.</u>	<u>Description</u>	<u>Page No.</u>
SECTION 1	GENERAL PROVISIONS	1-1
1.1	Short Title	1-1
1.2	Jurisdiction	1-1
1.3	Purpose	1-1
1.4	Enactment Authority	1-1
1.5	Amendment and Revisions	1-1
1.6	Enforcement Responsibility	1-2
1.7	Review and Approval	1-2
1.8	Interpretation	1-2
1.9	Relationship to Other Standards	1-2
1.10	Waivers from these Criteria	1-2
1.11	Abbreviations	1-3
SECTION 2	DRAINAGE PLANNING SUBMITTAL REQUIREMENTS .	2-1
2.1	Review Process	2-1
2.2	Preliminary Drainage Report	2-1
2.2.1	Preliminary Report Contents	2-2
2.2.2	Drawing Contents	2-4
	A. General Location Map	2-4
	B. Floodplain Information	2-4
	C. Drainage Plan	2-4
2.3	Final Drainage Report	2-5
2.3.1	Phase II: Final Report Contents	2-6
	I. Narrative	2-6
	II. Hydrology Calculations	2-6
	III. Hydrology Map	2-6
	IV. System Schematic	2-7
	V. Hydraulic Calculations	2-8
	VI. References	2-8
2.3.2	Drawing Contents	2-8
	A. General Location Map	2-8
	B. Floodplain Information	2-8
	C. Drainage Plan	2-8

<u>Section No.</u>	<u>Description</u>	<u>Page No.</u>
SECTION 3	DRAINAGE POLICY	3-1
3.1	Facilities Planning	3-1
3.1.1	Master Planning	3-1
3.1.2	Special Planning Areas	3-4
3.1.3	Floodplain Management	3-5
3.2	Storm Runoff Retention	3-5
3.2.1	Storm Runoff Retention	3-5
3.2.2	Multi-Purpose Concept	3-6
3.2.3	Design Development Criteria	3-7
SECTION 4	FLOODPLAIN REGULATIONS	4-1
4.1	National Flood Insurance Program (NFIP)	4-1
SECTION 5	RAINFALL AND RUNOFF	5-1
5.1	Rainfall	5-1
5.2	Intensity-Duration Curves	5-2
5.3	Point Precipitation	5-2
5.3.1	Design Storm Isohyetal Maps	5-2
5.3.2	Precipitation Intensity Pattern	5-3
5.3.3	Precipitation Depth-Area Adjustment	5-3
5.4	Runoff	5-3
5.4.1	Analytical Methods	5-3
5.4.2	Applicability of Methods	5-3
5.5	Rational Method	5-3
5.5.1	Assumptions	5-3
5.5.2	Rational Formula	5-3
5.6	Time of Concentration	5-3
5.7	Synthetic Unit Hydrograph	5-4
5.7.1	Development of Synthetic Unit Hydrographs ..	5-4
5.7.2	Development of Flood Hydrographs	5-5
5.8	Submittal Requirements	5-5
5.9	List of Variables	5-5
5.10	References	5-6
SECTION 6	STREET DRAINAGE	6-1
6.1	Street Classification	6-1
6.2	Design Criteria for Streets	6-3
6.2.1	Design Frequency	6-3
6.2.2	Pavement Encroachment	6-4

<u>Section No.</u>	<u>Description</u>	<u>Page No.</u>
SECTION 6	STREET DRAINAGE (continued)	
	6.2.3 Theoretical Capacity	6-4
6.3	Catch Basins	6-4
6.4	Design Criteria	6-4
	6.4.1 General	6-4
	6.4.2 Limitations	6-5
	6.4.3 Length Requirements	6-5
	6.4.4 Series Catch Basins	6-5
	6.5.5 Interior Dimensions	6-5
	6.5.6 Local Depressions	6-6
	6.5.7 Connector Pipe	6-6
6.5	Design Procedure for Connector Pipe and "V" Depth	6-6
	6.5.1 Single Catch Basins	6-6
	6.5.2 Catch Basins in Series	6-8
6.6	Design Aids	6-10
6.7	Checklist	6-15
6.8	List of Variables	6-15
6.9	References	6-15
SECTION 7	OPEN CHANNEL HYDRAULICS	7-1
7.1	Artificial Channels	7-1
	7.1.1 Route Considerations	7-1
	7.1.2 Channel Selection	7-2
	7.1.3 Description of Channel Types	7-2
	7.1.4 Low Flow Channels	7-6
7.2	Design of Artificial Channels	7-6
	7.2.1 Open Channel Hydraulics	7-7
	7.2.2 Design of Rigid Channels	7-9
	7.2.3 Preliminary Design	7-12
	7.2.4 Final Design	7-13
7.3	Natural Channels	7-13
	7.3.1 Analysis of Natural Channels	7-13
	7.3.2 Requirements for Natural Channels	7-14
	7.3.3 Applicable Methodologies	7-15
7.4	Channel Linings	7-16
	7.4.1 Concrete Lined Channels	7-16
	7.4.2 Riprap Lined Channels	7-17
	7.4.3 Grouted Rock	7-18
	7.4.4 Toe Protection	7-18
	7.4.5 Grass Lined Channels	7-19
7.5	Design Procedures	7-20
	7.5.1 Artificial Channels	7-20
	7.5.2 Design Example	7-23

<u>Section No.</u>	<u>Description</u>	<u>Page No.</u>
SECTION 7	OPEN CHANNEL HYDRAULICS (continued)	
7.6	Design Aids	7-29
7.7	List of Variables	7-32
7.8	References	7-32
 SECTION 8	 HYDRAULIC STRUCTURES	 8-1
8.1	Channel Drop Structures	8-1
	8.1.1 Basic Components of a Drop Structure	8-1
	8.1.2 Drop Structure Types	8-1
8.2	General Design Procedures	8-3
	8.2.1 Crest and Upstream Hydraulics	8-5
	8.2.2 Water Surface Profile Analysis	8-5
	8.2.3 Drop Selection	8-9
8.3	Design Guidelines for Drop Structures	8-10
	8.3.1 Baffle Chute Drops	8-10
	8.3.2 Vertical Hard Basin Drops	8-16
	8.3.3 Vertical Riprap Basin Drops	8-29
	8.3.4 Sloping Concrete Drops	8-22
	8.3.5 Low Flow Check Structures	8-25
8.4	Conduit Outlet Structures	8-25
	8.4.1 Riprap Protection at Conduit Outlets	8-25
	8.4.2 Concrete Outlet Structures	8-27
	8.4.3 Impact Stilling Basin	8-35
	8.4.4 Baffle Chute Energy Dissipator	8-37
8.5	Special Channel Structure	8-40
	8.5.1 Channel Transitions	8-40
	8.5.2 Supercritical Flow Structures	8-40
8.6	Characteristics of the Hydraulic Jump	8-41
	8.6.1 Jump Height	8-42
	8.6.2 Jump Length	8-42
	8.6.3 Surface Profile	8-42
	8.6.4 Jump Location	8-42
	8.6.5 Undular Jump	8-42
	8.6.6 Design Aids	8-43
8.7	Design Examples	8-50
	8.7.1 Open Channel Drop Structures	8-52
8.8	List of Variables	8-55
8.9	References	8-56

<u>Section No.</u>	<u>Description</u>	<u>Page No.</u>
SECTION 9	CONDUITS	9-1
9.1	Storm Drains	9-1
	9.1.1 General Hydraulic Criteria	9-1
	9.1.2 Hydraulic Design	9-2
9.2	Head Loss in Closed Conduits	9-2
	9.2.1 Friction Loss	9-3
	9.2.2 Transition Loss	9-3
	9.2.3 Junction Loss	9-4
	9.2.4 Manhole Loss	9-5
	9.2.5 Bend Loss	9-5
	9.2.6 Angle Point Loss	9-5
	9.2.7 Special Cases	9-6
9.3	Design Requirements for Maintenance and Access	9-7
	9.3.1 Manholes	9-7
	9.3.2 Minimum Slope	9-8
	9.3.3 Minimum Pipe Size	9-8
	9.3.4 Inlet Structures	9-8
	9.3.5 Outlet Structures	9-8
9.4	Design Requirements for Junctions	9-9
	9.4.1 Inlets to Main Line Drains	9-9
	9.4.2 Angle of Confluence	9-9
9.5	Culverts	9-9
	9.5.1 Culvert Criteria	9-10
	9.5.2 Inlets	9-11
	9.5.3 Outlets	9-12
	9.5.4 Design Procedures	9-12
	9.5.5 Culvert Rating Curves	9-15
	9.5.6 Roadway Overtopping	9-16
	9.5.7 Design Aids	9-17
9.6	List of Variables	9-40
9.7	References	9-40
SECTION 10	DETENTION/RETENTION	10-1
10.1	Limitations on Use of Detention/Retention Facilities ..	10-1
	10.1.1 Regional Detention/Retention Facilities	10-1
10.2	Design Criteria	10-2
	10.2.1 Criteria for Detention/Retention Facilities ...	10-2
	10.2.2 Criteria for Special Detention/Retention Methods	10-5
	10.2.3 Embankment Design Criteria	10-9
10.3	Design Considerations	10-10
	10.3.1 Access	10-10

<u>Section No.</u>	<u>Description</u>	<u>Page No.</u>
SECTION 10	DETENTION/RETENTION (continued)	
	10.3.2 Sediment Removal	10-11
	10.3.3 Maintenance of Low Flow Channels and Drainage Structures	10-11
10.4	Multiple-use Concepts	10-11
	10.4.1 Potential Uses	10-11
10.5	Water Quality	10-12
	10.5.1 Role of Detention/Retention Facilities in Water Quality Control	10-12
10.6	Flood Routing	10-13
	10.6.1 Flood Routing through Detention Facilities by the Storage-Indication Method	10-13
	10.6.2 Flood Routing Sample Problem	10-18
	10.6.2.1 Given	10-17
	10.6.2.2 Solution	10-19
10.7	List of Variables	10-24
10.8	References	10-24
 SECTION 11	 EROSION & SEDIMENT CONTROL	 11-1
11.1	Erosion and Sedimentation Process	11-1
	11.1.1 Factors Influencing Erosion	11-2
11.2	Storm Water Programs	11-2
	11.2.1 Federal NPDES Program	11-3
	11.2.2 State NPDES Program	11-3
	11.2.3 Municipal NPDES Program	11-3
	11.2.4 Other State and Local Programs	11-5
11.3	Storm Water Pollution Prevention Plans	11-5
	11.3.1 Planning Phase	11-6
	11.3.2 Design Phase	11-6
	11.3.3 Construction Phase	11-8
11.4	Best Management Practices Section	11-11
	11.4.1 Define BMP Objectives	11-12
	11.4.2 Identify BMP Categories	11-13
	11.4.3 Selecting BMPs for Contractor Activities ..	11-16
	11.4.4 Selecting BMPs for Erosion and Sediment Control	11-17
	11.4.5 Selection of Post-Construction BMPs	11-22
11.5	Measuring BMP Performance	11-23
	11.5.1 Site Inspections	11-23
	11.5.2 Certification of Compliance	11-23
	11.5.3 BMPs Monitoring	11-24
	11.5.4 Record Keeping	11-26
	11.5.5 SWPPP Review and Modifications	11-26
11.6	Worksheets	11-26

LIST OF ILLUSTRATIONS

FIGURES

Figure

Page No.

6.1	Typical Street Cross Sections	6-2
6.2	Catch Basin Capacities	6-11
6.3	Catch Basin Capacities	6-12
6.4	Catch Basin Capacities	6-13
6.5	Catch Basin Capacities Sump Condition	6-14
7.1		7-4
7.2		7-5
7.3		7-31
7.4	Curves for Determining the Normal Depth for Uniform Flow in Open Channels	A-3
7.5	Curves for Determining the Critical Depth in Open Channels	A-4
8.1	Typical Drop Structure Components	8-2
8.2	Drop Structure Types	8-4
8.3	Typical Vertical Drop Crest	8-6
8.4	Typical Sloping Drop Crest Configuration	8-7
8.5	Typical Baffled Chute Drop Structure	8-8
8.6		8-13
8.7		8-12
8.8		8-13
8.9	Vertical Hard Basin Drop	8-17 & 20
8.10	Vertical Riprap Basin Drop	21
8.11	Curves for Scour Depth at Vertical Drop	23
8.12	Stilling Basins for Sloping Concrete Drops	24
8.13	Details for Riprapped Culvert Energy Basin	28
8.14		29
8.15	Dimensionless Rating Curves for the Outlets of Circular Culverts on Horizontal and Mild Slopes	30
8.16	Relative Depth of Scour Hold Versus Froude Number at Brink of Culvert with Relative Size of Riprap as a Third Variable	31

FIGURES

(continued)

<i>Figure</i>	<i>Page No.</i>
8.17 Relative Depth of Scour Hole Versus Froude Number at Brink of Culvert with Relative Size of Riprap as a Third Variable	8-32
8.18 General Design of the USBR Type VI Impact Stilling Basin	8-34
8.19 Design Width of the USBR Type VI Basin	8-36
8.20 Modifications to Impact Stilling Basins	8-38
8.21 Baffle Chut at Conduit Outlet	8-39
8.22 Height of a Hydraulic Jump for a Horizontal Rectangular Channel	8-44
8.23 Height of a Hydraulic Jump for a Horizontal Trapezoidal Channel	8-45
8.24 Length of Hydraulic Jump for Rectangular Channels	8-46
8.25 Length of a Hydralic Jump for Non-retangular Channels	8-47
8.26 Surface Profile of a Hydraulic Jump	8-48
9.1	9-4
9.2	9-4
9.3 Culvert Design Form	9-19
9.4 Outlet Control Nomograph (Schematic)	9-20
9.5 Discharge Coefficient and Submergence Factor for Roadway Overtopping	9-20
9.6 Headwater Depth for Concrete Pipe Culverts with Inlet Control	9-21
9.7 Headwater Depth for CMP Culverts with Inlet Control	9-22
9.8 Headwater Depth for Circular Pipe Culverts With Beveled Ring Inlet Control	9-23
9.9 Critical Depth for Circular Pipe	9-24
9.10 Head for Concrete Pipe Culverts Flowing Full	9-25
9.11 Head for Standard C.M. Pipe Culverts Flowing Full	9-26
9.12 Headwater Depth for Box Culverts with Inlet Control	9-27
9.13 Headwater Depth for a Rectangular Box Culvert with Inlet Control, Flared Wingwalls (18 to 33.7 Degrees and 45 Degrees and Beveled Edge at the Top of the Inlet	9-28
9.14 Headwater Depth for Inlet Control Rectangular Box Culverts 90° Headwall - Chamfered or Beveled Inlet Edges	9-29
9.15 Critical Depth Rectangular Section	9-30
9.16 Head for Concrete Box Culverts Flowing Full	9-31
9.17 Headwater Depth for Oval Concrete Pipe Culverts Long Axis Vertical with Inlet Control	9-32
9.18 Headwater Depth for Oval Concrete Pipe Culverts Long Axis Vertical with Inlet Control	9-33
9.19 Critical Depth for an Oval Concrete Pipe—Long Axis Horizontal	9-34
9.20 Critical Depth for an Oval Concrete Pipe—Long Axis Vertical	9-35

FIGURES
(continued)

<u>Figure</u>	<u>Page No.</u>
9.21 Head for Oval Concrete Pipe Culverts Long Axis Horizontal or Vertical—Flowing Full	9-36
9.22 Headwater Depth for C.M. Pipe-Arch Culvert with Inlet Control	9-37
9.23 Head for Standard C.M. Pipe-Arch Culverts Flowing Full	9-38
10.1 Flood Routing (Inflow and Outflow Hydrograph)	10-3
10.2 Rectangular Concrete Channel Section	10-5
10.3 Detention Facility Outlet Details	10-7
10.4 Jurisdictional Dam Definition	10-8
10.5 Development of the Storage-Outflow Function for Level Pool Routing on the Basis of Storage-Elevation and Elevation-Outflow Curves	10-16
10.6 Storage-Outflow Function for Sample Problem	10-21
10.7 Comparison of Inflow and Outflow Hydrographs	10-23

TABLES

<u>Table</u>	<u>Page No.</u>
6.1 Traffic and Drainage Classification	6-1
6.2 Design Storm Frequencies for Street Drainage	6-3
7.1 Artificial Channel Properties Simplified Design Procedure	7-7
7.2 Required Concrete Lining Thickness	7-16
7.3 Required Shortcrete Lining Thickness	7-17
7.4	A-3
7.5	A-4
7.6	A-4
7.7 Toe Protection Cut-Off Depths	7-23
7.8 Simplified Design Procedure Design Checklist for Artificial Channels	7-25
7.9 Design Checklist for Natural Channels	7-26
7.10 Scour Depths in Outer Curves	7-32
7.11 Manning's Roughness Coefficients	7-33
8.1 General Seepage Cutoff Technique Suitability	8-8
8.2 Types of Hydraulic Jumps	8-41
8.3 Uniform Flow in Circular Sections Flowing Partly Full	8-49
8.4 Calculations of Basin Dimensions	8-52
9.1 Head Loss Coefficient, C for Use with Equation 9.13	9-10
9.2 Entrance Loss Coefficients Outlet Control, Full or Partly Full Entrance Head Loss	9-45
10.1 Emergency Spillway Design Capacity Requirements for an Embankment Dam that is not regulated by ADWR	10-10
10.2 Spillway Discharge Equations	10-15
10.3 Water Surface Elevation-Storage Relationship	10-20
10.4 Storage-Outflow Relationship for a Detention Reservoir	10-21
10.5 Routing of Flow through Detention Basin	10-22
11.1 Allowable Non-Storm Water Discharges for Construction Sites	11-2
11.2 Existing Regulations for Storm Water Pollution Control	11-4
11.3 Base Map(s) of Site for SWPPP and Other Site Planning	11-5
11-4 Contents of the Notice of Intent	11-9
11-5 Categories of BMPs and the BMP Objectives Met by Each	11-15

PLATES

<i><u>Plate</u></i>		<i><u>Page No.</u></i>
5.1	Rain Intensity - Inches Per Hour	5-7
5.2	Runoff Coefficient Curves Soil Group A	5-8
5.3	Runoff Coefficient Curves Soil Group B	5-9
5.4	Runoff Coefficient Curves Soil Group C	5-10
5.5	Runoff Coefficient Curves Soil Group D	5-11
5.6	Time of Concentration for Initial Sub Area	5-12
5.7	Velocity - Discharge - Slope Relationships Natural Valley Channels	5-13
5.8	Velocity - Discharge - Slope Relationships Natural Valley Channels	5-14